

# Hydroponics Grow Light



#### HYGL8

#### Model:

- 1) HYGL8-17
- 2) HYGL8-14
- 3) HYGL8-09

# **Certification**: CE,RoHS

# Spectrum: Nx1.1, Nx4

# Minimum Order: 50 pcs

# **Brief Description:**

LED grow bar

- i. 17w/4ft
- ii. 14w/3ft
- iii. 09w/2ft;

380nm-730nm available, full spectrum; IP 58; best for commercial growing; also available in custom-tailored spectrum

- Best for commercial growers
- The optimal lighting solution is different for every crop
- Based on successful tests at our 1000 sq.ft testing facility, Nexsel have been developed different lamps with specific light recipes for different plants
- Nexsel has 4 years+ experience in horticulture lighting
- 100% payback guarantee of plants not grown properly
- Nexsel use special horticulture grade led chips with high PPF value

The color blend is engineered to promote healthy plants through all growth phases. Costefficient, reliable and safe, it runs cool and it is worth every penny.



- ✓ Key Features
  - 1.3X more intensity (PPF 2.2 -2.4 μmol/J)
  - Specially designed connectors
  - Customized spectrum i.e full spectrum with IR & UV
  - Clear diffuser
  - Flicker free output
  - Stays cool thanks to internal heat dissipation design

# ✓ Advantages

- 15% less harvesting time
- More profound color
- Proper leaf texture
- Clear diffuser increase intensity for same wattage
- Better photosynthesis process due to flicker free light
- 18 months warranty

# ✓ Benefits


- 20% less electricity consumption for same intensity
- Save 80% wiring cost per layer
- Save 60-70% installation time
- 2-3 more harvest per year






# **Spectrum Details**

Nx1.1




Nx4





# **Technical Specifications**

Operating Voltage	80-300 VAC
Frequency	50-60 Hz
Power Consumption	17/14/09 w
Power Supply Current	240mA DC
Weight	300/260/180 gm
Dimensions ( in mm)	Please check below image
Operating Temperature	0° C to 45° C
Light Source	0.2 w
Efficiency	0.90
Power Factor	0.98
PPF	2.2-2.4 µmole/J
Wavelength	380nm-740nm
Heat Dissipation	54 btu/hr
LED Life	50,000 Hours



\*Please note HYGL8, - Nx4 available in 300 mm & 1205 mm only



